# SAFETY DATA SHEET



Revision date: 15-May-2020

**Revision Number** 1

# 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product identifier

Product Name Civilox - LV100 Part B

**Product Code(s)** 000000067006

Other means of identification

Synonyms SDS002/01

Pure substance/mixture Mixture

Recommended use of the chemical and restrictions on use

Recommended use Concrete sealer.

**Uses advised against** No information available.

**Supplier** 

Liquimix Pty Ltd ABN: 32 062 887 585 Street Address: 24 Rosa Place Richlands QLD 4077

Australia

Telephone Number: +61 7 3277 6655

# Emergency telephone number

Emergency telephone number 1 800 033 111 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

## 2. HAZARDS IDENTIFICATION

## **GHS Classification**

Not classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS)

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1

## **SIGNAL WORD**

Danger

#### Label elements

Corrosion

Exclamation mark



#### **Hazard statements**

H302 - Harmful if swallowed

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

## **Precautionary Statements - Prevention**

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash hands thoroughly after handling

Do not eat, drink or smoke when using this product

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves/protective clothing/eye protection/face protection

Avoid release to the environment

# **Precautionary Statements - Response**

Specific treatment (see First aid on this SDS)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER or doctor/physician

IF ON SKIN: Wash with plenty of soap and water

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

Contaminated work clothing should not be allowed out of the workplace.

Avoid breathing vapour or spray mist.

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

# **Precautionary Statements - Storage**

No storage statements.

## **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

# Other hazards which do not result in classification

Poisons Schedule (SUSMP) None allocated

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Substance

Not applicable

### Mixture

Chemical name	CAS No.	Weight-%
Benzyl alcohol	100-51-6	30-60
Cashew nutshell liquid	8007-24-7	30-60
m-Xylene a,a"-diamine	1477-55-0	<4
Other component(s)	-	to 100

# 4. FIRST AID MEASURES

**Description of first aid measures** 

General advice For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New

Zealand 0800 764 766) or a doctor.

**Emergency telephone number** Poisons Information Center, Australia: 13 11 26

Poisons Information Center, New Zealand: 0800 764 766

**Inhalation** Remove to fresh air and keep at rest in a position comfortable for breathing. (Call a

physician if symptoms occur).

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present

and easy to do. Continue rinsing. Immediate medical attention is required.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes.

Ingestion Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth

to an unconscious person. Do NOT induce vomiting. Call a physician immediately.

Self-protection of the first aider

Use personal protective equipment as required. See section 8 for more information. Avoid

contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

**Symptoms** May cause allergic skin reaction.

Indication of any immediate medical attention and special treatment needed

**Note to physicians**Treat symptomatically. Can cause corneal burns.

## 5. FIRE FIGHTING MEASURES

**Suitable Extinguishing Media** 

**Suitable Extinguishing Media**Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing media

Specific hazards arising from the chemical

Specific hazards arising from the

chemical

In the event of fire, cool tanks with water spray.

**Hazardous combustion products** Carbon oxides. Nitrogen oxides.

Special protective actions for fire-fighters

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. See

section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Do not touch or walk through

spilled material.

Other information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

**Environmental precautions** 

**Environmental precautions** Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage

if safe to do so.

# Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. Dike far

ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for

later disposal.

Methods for cleaning up

Use a non-combustible material like vermiculite, sand or earth to soak up the product and

place into a container for later disposal.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Use personal protection equipment. Avoid breathing vapors or mists. Use according to

package label instructions. Handle in accordance with good industrial hygiene and safety

practice. Avoid contact with skin, eyes or clothing.

General hygiene considerations Do not eat, drink or smoke when using this product. Contaminated work clothing should not

be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep container

closed when not in use.

Classified as a C2 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS 1940. Refer to State Regulations for storage and

transport requirements.

**Incompatible materials** Strong oxidizing agents.

Poisons Schedule (SUSMP) None allocated

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control parameters**

**Exposure Limits** . No value assigned for this specific material by Safe Work Australia. However, Workplace

Exposure Standard(s) for constituent(s):

	Chemical name	Australia	ACGIH TLV
--	---------------	-----------	-----------

m-Xylene a,a"-diamine	0.1 mg/m³ Peak	S*
1477-55-0	-	Ceiling: 0.018 ppm

m-Xylene- alpha,alpha'-diamine: Peak Limitation = 0.1 mg/m³, Sk

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

Peak Limitation - a maximum or peak airborne concentration of a particular substance determined over the shortest analytically practicable period of time which does not exceed 15 minutes.

`Sk' (skin) Notice - absorption through the skin may be a significant source of exposure. The exposure standard is invalidated if such contact should occur.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

# **Appropriate engineering controls**

# Engineering controls Apply technical measures to comply with the occupational exposure limits. Eyewash

stations.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

## Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES.









**Eye/face protection** Tight sealing safety goggles.

**Skin and body protection** Wear suitable protective clothing. Boots. Overalls.

**Hand protection** Wear suitable gloves. Impervious gloves.

Respiratory protection If determined by a risk assessment an inhalation risk exists, wear an organic

vapour/particulate respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

**Environmental exposure controls** No information available.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Clear Liquid

Appearance No information available.

Color Amber Odor Aromatic.

Odor threshold No information available.

PropertyValuesRemarks • MethodpHNo data availableNone known

pH No data available

Melting point / freezing point No data available

Boiling point / boiling range

No data available

Flash point >94 None known
Evaporation rate No data available None known
Flammability (solid, gas) No data available None known
Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressureNo data availableVapor densityNo data available

Relative density 1.03

Water solubility Immiscible in water Solubility(iss)

Solubility(ies)No data availableNone knownPartition coefficientNo data availableNone known

Autoignition temperature No data available

Decomposition temperatureNo data availableNone knownKinematic viscosityNo data availableNone knownDynamic viscosityNo data availableNone known

Other information

# 10. STABILITY AND REACTIVITY

Reactivity

**Reactivity** No information available.

**Chemical stability** 

**Stability** Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions 
None under normal processing.

**Conditions to avoid** 

**Conditions to avoid** Heat, flames and sparks.

**Incompatible materials** 

**Incompatible materials** Strong oxidizing agents.

Hazardous decomposition products

Hazardous decomposition products Carbon oxides. Nitrogen oxides.

## 11. TOXICOLOGICAL INFORMATION

## **Acute toxicity**

Information on likely routes of exposure

Product Information . No adverse health effects expected if the chemical is handled in accordance with this

Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the

chemical is mishandled and overexposure occurs are:.

**Inhalation** May cause irritation.

**Eye contact** Severely irritating to eyes. Causes burns. Causes serious eye damage.

**Skin contact** Irritating to skin. May cause sensitization by skin contact.

**Ingestion** Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

**Symptoms** May cause redness and tearing of the eyes.

## Numerical measures of toxicity - Product Information

No information available.

The following values are calculated based on chapter 3.1 of the GHS document

**Component Information** 

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Benzyl alcohol	= 1230 mg/kg (Rat)	= 2 g/kg(Rabbit)	= 8.8 mg/L (Rat) 4 h
Cashew nutshell liquid	> 1000 mg/kg (Rat)	-	-
m-Xylene a,a"-diamine	= 660 mg/kg (Rat)	= 2 g/kg(Rabbit)	= 700 ppm (Rat) 1 h

See section 16 for terms and abbreviations

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Irritating to skin. Classification is based on mixture calculation methods based on

component data.

Serious eye damage/eye irritation Risk of serious damage to eyes. Classification is based on mixture calculation methods

based on component data.

Respiratory or skin sensitization May cause sensitization by skin contact. Classification is based on mixture calculation

methods based on component data.

Germ cell mutagenicity No information available.

**Carcinogenicity** No information available.

Reproductive toxicity No information available.

**STOT - single exposure**No information available.

**STOT - repeated exposure**No information available.

**Aspiration hazard** No information available.

# 12. ECOLOGICAL INFORMATION

## **Ecotoxicity**

**Ecotoxicity** . Keep out of waterways.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Benzyl alcohol	EC50: =35mg/L (3h,	LC50: =460mg/L (96h,	-	EC50: =23mg/L (48h,
	Anabaena variabilis)	Pimephales promelas)		water flea)
		LC50: =10mg/L (96h,		
		Lepomis macrochirus)		
m-Xylene a,a"-diamine	-	LC50: =87.6mg/L (96h,	-	-
		Oryzias latipes)		

#### Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

**Bioaccumulation** No information available.

**Component Information** 

	Component information		
	Chemical name	Partition coefficient	
ĺ	Benzyl alcohol	1.1	

## Mobility

Mobility in soil No information available.

Other adverse effects

# 13. DISPOSAL CONSIDERATIONS

## Waste treatment methods

Waste from residues/unused

products

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Empty containers pose a potential fire and explosion hazard. Do not cut, puncture of weld

containers.

# 14. TRANSPORT INFORMATION

#### ADG

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail: NON-DANGEROUS GOODS.

#### **IATA**

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; NON-DANGEROUS GOODS.

#### **IMDG**

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.

# 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

## **National regulations**

## Australia

Not classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS)

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

See section 8 for national exposure control parameters

Poisons Schedule (SUSMP) None allocated

#### National pollutant inventory Subject to reporting requirement

Chemical name	National pollutant inventory
Benzyl alcohol - 100-51-6	20 MW Threshold category 2b total
	60000 MWH Threshold category 2b total
	1 tonne/h Threshold category 2a total
	25 tonne/yr Threshold category 1a total
	400 tonne/yr Threshold category 2a total
	2000 tonne/yr Threshold category 2b total

#### **International Inventories**

AICS All the constituents of this material are listed on the Australian Inventory of Chemical

Substances.

## Legend:

AICS - Australian Inventory of Chemical Substances

## **International Regulations**

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

# 16. OTHER INFORMATION

Reason(s) For Issue: First Issue Primary SDS

Issuing Date: 15-May-2020

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

#### **Revision Note:**

The symbol (\*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA (time-weighted average) STEL (Short Term Exposure Limit) STEL

Ceiling Maximum limit value Skin designation

Carcinogen

#### Key literature references and sources for data used to compile the SDS

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

RTECS (Registry of Toxic Effects of Chemical Substances)

World Health Organization

#### **Disclaimer**

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Liquimix Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Liquimix representative or Liquimix Pty Ltd at the contact details on page 1.

Liquimix Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

**End of Safety Data Sheet**