# SAFETY DATA SHEET



Revision date: 10-Aug-2023

**Revision Number** 1

## 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

**Product identifier** 

Product Name Elaston W80 Part B

**Product Code(s)** 000000067061

Other means of identification

UN number 2735

Recommended use of the chemical and restrictions on use

**Recommended use** Component of a polyurethane system.

Uses advised against No information available

Supplier

Liquimix Pty Ltd ABN: 32 062 887 585 Street Address: 24 Rosa Place Richlands QLD 4077

Australia

Telephone Number: +61 7 3277 6655

#### Emergency telephone number

Emergency telephone number 1 800 033 111 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

## 2. HAZARDS IDENTIFICATION

#### GHS Classification

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Acute toxicity - Inhalation (Vapors)	Category 4
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (repeated exposure)	Category 2
Acute aquatic toxicity	Category 2
Chronic aquatic toxicity	Category 2

#### **SIGNAL WORD**

Danger

#### Label elements

Corrosion Health hazard Exclamation mark Environment



#### **Hazard statements**

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

H373 - May cause damage to organs through prolonged or repeated exposure

H411 - Toxic to aquatic life with long lasting effects

#### **Precautionary Statements - Prevention**

Do not breathe fume, gas, mist, vapours, spray

Wear eye protection/ face protection

Wash face, hands and any exposed skin thoroughly after handling

Avoid release to the environment

### **Precautionary Statements - Response**

IF exposed: Get medical advice/attention if you feel unwell

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician

IF ON SKIN: Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Get immediate medical advice/attention. Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician

Collect spillage

## **Precautionary Statements - Storage**

Store locked up

## **Precautionary Statements - Disposal**

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

#### Other hazards which do not result in classification

Poisons Schedule (SUSMP)

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Weight-%
Glyceryl poly(oxypropylene)triamine	64852-22-8	30 - 60%
Diethylmethylbenzenediamine	68479-98-1	10 - 30%
Polyoxypropylenediamine	9046-10-0	10 - 30%
Propane-1,2-diol, propoxylated	25322-69-4	< 10%

## 4. FIRST AID MEASURES

### **Description of first aid measures**

General advice For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New

Zealand 0800 764 766) or a doctor.

**Inhalation** Remove to fresh air and keep at rest in a position comfortable for breathing. Medical aid is

necessary if symptoms appear to be an obvious consequence of inhalation.

**Eye contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Do

not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing.

Seek immediate medical attention/advice.

Skin contact Wash off immediately with soap and plenty of water. Immediate medical attention is

required. Take off contaminated clothing and wash before reuse.

**Ingestion** Rinse mouth thoroughly with water. Drink 1 or 2 glasses of water. Get medical attention.

#### Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

#### Indication of any immediate medical attention and special treatment needed

**Note to physicians**Treat symptomatically.

## 5. FIRE FIGHTING MEASURES

**Suitable Extinguishing Media** 

Suitable Extinguishing Media Dry chemical, CO2, alcohol-resistant foam or water spray.

Unsuitable extinguishing media High volume water jet.

Specific hazards arising from the chemical

Specific hazards arising from the

chemical

Environmentally hazardous.

Hazardous combustion products Carbon oxides. Nitrogen oxides.

Special protective actions for fire-fighters

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

Hazchem code 2X

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Use personal protective equipment as required. See section 8

for more information. Avoid contact with skin, eyes, and clothing.

**Other information** Refer to protective measures listed in Sections 7 and 8.

**Environmental precautions** 

**Environmental precautions** See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment

Stop leak if you can do it without risk. Contain and collect spillage with non-combustible

absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

Methods for cleaning up

Use a non-combustible material like vermiculite, sand or earth to soak up the product and

place into a container for later disposal. Dike far ahead of spill to collect runoff water. Prevent product and washings from entering drains, sewers or surface water due to high

toxicity to aquatic organisms.

## 7. HANDLING AND STORAGE

#### Precautions for safe handling

skin, eyes, and clothing. Handle in accordance with good industrial hygiene and safety

practice.

General hygiene considerations Do not eat, drink or smoke when using this product. Take off contaminated clothing and

wash it before reuse. Wash hands and face before breaks and immediately after handling

the product. Wear suitable gloves and eye/face protection.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

**Incompatible materials**None known based on information supplied.

Poisons Schedule (SUSMP) 5

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control parameters**

**Exposure Limits** No value assigned for this specific material by Safe Work Australia.

#### **Appropriate engineering controls**

**Engineering controls** Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to

determine the minimum PPE requirements.

## Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES.









**Eye/face protection** Wear safety glasses with side shields (or goggles).

Skin and body protection Wear suitable protective clothing. Splash apron or equivalent chemical impervious outer

garment.

Hand protection Impervious gloves.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required. If determined by a risk assessment an inhalation risk exists, wear an organic vapour

respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

**Environmental exposure controls** Do not allow into any sewer, on the ground or into any body of water. Local authorities

should be advised if significant spillages cannot be contained.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

Appearance No information available

Color Dark red
Odor Amine -like

Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

No data available None known pН pH (as aqueous solution) No data available None known Melting point / freezing point No data available None known Boiling point / boiling range No data available None known Flash point > 200°C Open Cup **Evaporation rate** No data available None known Flammability (solid, gas) No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressure No data available None known Vapor density No data available None known Relative density 1.00 None known Water solubility No data available None known Solubility(ies) No data available None known Partition coefficient No data available None known Autoignition temperature No data available None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known No data available **Dynamic viscosity** None known

Other information

## 10. STABILITY AND REACTIVITY

Reactivity

**Reactivity** No information available.

**Chemical stability** 

**Stability** Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions 
None under normal processing.

**Conditions to avoid** 

**Conditions to avoid**None known based on information supplied.

**Incompatible materials** 

Incompatible materials None known based on information supplied.

Hazardous decomposition products

Hazardous decomposition products Carbon oxides. Nitrogen oxides.

## 11. TOXICOLOGICAL INFORMATION

### **Acute toxicity**

Information on likely routes of exposure

**Product Information**No adverse health effects expected if the chemical is handled in accordance with this

Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the

chemical is mishandled and overexposure occurs are:

**Inhalation** Inhalation of vapors in high concentration may cause irritation of respiratory system.

**Eye contact** Causes serious eye irritation. May cause burns.

**Skin contact** Contact causes severe skin irritation and possible burns.

**Ingestion** Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

**Symptoms** No information available.

#### Numerical measures of toxicity - Product Information

No information available

**Component Information** 

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Diethylmethylbenzenediamine	= 485 mg/kg (Rat)	= 700 mg/kg (Rabbit)	-
	= 472 mg/kg (Rat)		

Polyoxypropylenediamine	= 242 mg/kg ( Rat )	= 360 mg/kg ( Rabbit )	-
Propane-1,2-diol, propoxylated	= 3750 mg/kg(Rat) > 2 g/kg(Rat)	•	-

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Causes skin irritation. Causes burns.

Serious eye damage/eye irritation Causes serious eye irritation. Causes burns.

**Respiratory or skin sensitization** No information available.

Germ cell mutagenicity No information available.

**Carcinogenicity** No information available.

Reproductive toxicity No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure** May cause damage to organs through prolonged or repeated exposure.

**Aspiration hazard** No information available.

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

**Ecotoxicity**Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment. Keep out of waterways.

Persistence and degradability

Persistence and degradability Not readily biodegradable.

Bioaccumulative potential

**Bioaccumulation** Bioaccumulation is not expected.

**Mobility** 

Mobility in soil No information available.

Other adverse effects

## 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

#### Contaminated packaging

Dispose of contents/containers in accordance with local regulations. Contaminated packaging must be treated in accordance with the local environmental regulations

concerning Hazardous Waste Management.

## 14. TRANSPORT INFORMATION

#### **ADG**

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and

Rail: DANGEROUS GOODS.

**UN** number 2735

Proper shipping name AMINES, LIQUID, CORROSIVE, N.O.S. (POLYOXYPROPYLENEDIAMINE)

**Hazard class** Packing group Ш Hazchem code 2X

#### IATA

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

**UN** number 2735

**UN** proper shipping name AMINES, LIQUID, CORROSIVE, N.O.S. (POLYOXYPROPYLENEDIAMINE)

Transport hazard class(es) 8 Packing group Ш

#### **IMDG**

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea: DANGEROUS GOODS.

**UN** number 2735

**UN** proper shipping name AMINES, LIQUID, CORROSIVE, N.O.S. (POLYOXYPROPYLENEDIAMINE)

Transport hazard class(es) Packing group Ш **IMDG EMS Fire** F-A **IMDG EMS Spill** S-B Marine pollutant Yes

## 15. REGULATORY INFORMATION

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **National regulations**

## Australia

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

See section 8 for national exposure control parameters

Poisons Schedule (SUSMP)

Chemical name	National pollutant inventory
Propane-1,2-diol, propoxylated - 25322-69-4	20 MW Threshold category 2b total

60000 MWH Threshold category 2b total
1 tonne/h Threshold category 2a total
25 tonne/yr Threshold category 1a total
400 tonne/yr Threshold category 2a total
2000 tonne/yr Threshold category 2b total

**International Inventories** 

All the constituents of this material are listed on the Australian Inventory of Industrial

Chemicals.

Legend:

**AIIC- Australian Inventory of Industrial Chemicals** 

**International Regulations** 

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

## **16. OTHER INFORMATION**

Supplier Safety Data Sheet 07/2021

Reason(s) For Issue: First Issue Primary SDS

Issuing Date: 10-Aug-2023

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

**Revision Note:** 

The symbol (\*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \* Skin designation

C Carcinogen

#### Key literature references and sources for data used to compile the SDS

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian Industrial Chemicals Introduction Scheme (AICIS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set RTECS (Registry of Toxic Effects of Chemical Substances) World Health Organization

### **Disclaimer**

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Liquimix Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Liquimix representative or Liquimix Pty Ltd at the contact details on page 1.

Liquimix Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

**End of Safety Data Sheet**