SAFETY DATA SHEET



Revision date: 21-Feb-2023

Revision Number 1

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product identifier

Product Name Tufflon P80 Part A

Product Code(s) 000000067044

Other means of identification

UN number 3082

Recommended use of the chemical and restrictions on use

Recommended use Component of a polyurea system.

Uses advised against No information available

Supplier

Liquimix Pty Ltd ABN: 32 062 887 585 Street Address: 24 Rosa Place Richlands QLD 4077

Australia

Telephone Number: +61 7 3277 6655

Emergency telephone number

Emergency telephone number 1 800 033 111 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

2. HAZARDS IDENTIFICATION

GHS Classification

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

Acute toxicity - Inhalation (Vapors)	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Respiratory sensitization	Category 1
Skin sensitization	Category 1

Carcinogenicity	Category 2
Specific target organ toxicity (single exposure)	Category 3
Specific target organ toxicity (repeated exposure)	Category 2
Acute aquatic toxicity	Category 1
Chronic aquatic toxicity	Category 1

SIGNAL WORD

Danger

Label elements

Health hazard Exclamation mark Environment







Hazard statements

- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H319 Causes serious eye irritation
- H332 Harmful if inhaled
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled
- H335 May cause respiratory irritation
- H351 Suspected of causing cancer
- H362 May cause harm to breast-fed children
- H372 Causes damage to organs through prolonged or repeated exposure
- H410 Very toxic to aquatic life with long lasting effects

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Do not breathe fume, gas, mist, vapours, spray

In case of inadequate ventilation wear respiratory protection

Wear protective gloves/eye protection/face protection

Wash face, hands and any exposed skin thoroughly after handling

Contaminated work clothing should not be allowed out of the workplace

Avoid release to the environment

Precautionary Statements - Response

IF exposed or concerned

Get medical advice/attention if you feel unwell

Specific treatment is urgent (see First aid on this SDS)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

IF ON SKIN: Wash with plenty of soap and water

If skin irritation or rash occurs: Get medical advice/attention

Take off contaminated clothing and wash it before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician

Collect spillage

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

Other hazards which do not result in classification

AUH066 - Repeated exposure may cause skin dryness or cracking

Poisons Schedule (SUSMP) 6

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Weight-%
Methylenediphenylene diisocyanate, polypropylene glycol polymer	39420-98-9	> 60%
Alkanes, C14-17, chloro-	85535-85-9	10 - 30%
Diphenylmethane-4,4-diisocyanate	101-68-8	10 - 30%
Diphenylmethanediisocyanate, mixture of 2,4 and 4,4 isomers	5873-54-1	< 10%
Diphenylmethane diisocyanate homopolymer	25686-28-6	< 10%

4. FIRST AID MEASURES

Description of first aid measures

General advice For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New

Zealand 0800 764 766) or a doctor.

Inhalation Remove to fresh air and keep at rest in a position comfortable for breathing. If breathing is

difficult, (trained personnel should) give oxygen. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. May cause

allergic respiratory reaction.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call

a physician if irritation persists.

Skin contact Wash off immediately with soap and plenty of water. If skin irritation persists, call a

physician. Allergic symptoms may be delayed. Take off contaminated clothing and wash

before reuse.

Ingestion Rinse mouth thoroughly with water. Do not induce vomiting without medical advice.

Immediate medical attention is required.

Most important symptoms and effects, both acute and delayed

Symptoms Asthma-like and/ or skin allergy-like symptoms.

Indication of any immediate medical attention and special treatment needed

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media

Suitable Extinguishing Media CO2, dry chemical, dry sand, alcohol-resistant foam.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special protective actions for fire-fighters

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

Hazchem code •3Z

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Do not breathe vapor or mist. Avoid contact with skin, eyes, and clothing. Avoid contact

during pregnancy and while nursing. Work up wind or increase ventilation. Wear appropriate respirator when ventilation is inadequate. Do not eat, drink or smoke when

using this product.

For emergency responders

Use personal protection recommended in Section 8.

Environmental precautions

Environmental precautions Keep out of waterways. Local authorities should be advised if significant spillages cannot

be contained. See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Contain and collect spillage with

non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

Methods for cleaning up

Dike to collect large liquid spills. Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust). Pick up and transfer to properly labelled containers. Prevent product and washings from entering drains, sewers or surface water due to high

toxicity to aquatic organisms.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Do not breathe

vapor or mist. In case of insufficient ventilation, wear suitable respiratory equipment. Not to be used by pregnant workers and workers who have recently given birth or who are

breastfeeding.

General hygiene considerations Wash hands before breaks and immediately after handling the product. When using do not

eat, drink or smoke. Wear suitable gloves and eye/face protection.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store locked up. Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible materialsNone known based on information supplied.

Poisons Schedule (SUSMP) 6

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits No value assigned for this specific material by Safe Work Australia.

Appropriate engineering controls

Engineering controls Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES.









Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Lightweight protective clothing. Long sleeved clothing.

Hand protection Wear suitable gloves.

Respiratory protectionUse appropriate respiratory protection. If determined by a risk assessment an inhalation risk

exists, wear a suitable mist respirator meeting the requirements of AS/NZS 1715 and

AS/NZS 1716.

Environmental exposure controls
Do not allow into any sewer, on the ground or into any body of water. Local authorities

should be advised if significant spillages cannot be contained.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

AppearanceNo information availableColorNo information availableOdorNo information availableOdor thresholdNo information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Hq No data available None known pH (as aqueous solution) No data available None known Melting point / freezing point No data available None known No data available None known Boiling point / boiling range Open Cup Flash point > 200°C **Evaporation rate** No data available None known Flammability (solid, gas) No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressure No data available None known No data available Vapor density None known Relative density No data available None known Water solubility No data available None known Solubility(ies) No data available None known No data available **Partition coefficient** None known No data available **Autoignition temperature** None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known Dynamic viscosity 1.0 - 1.5 Pa s None known

Other information

10. STABILITY AND REACTIVITY

Reactivity

Reactivity No information available.

Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions
None under normal processing.

Conditions to avoid

Conditions to avoid Excessive heat.

Incompatible materials

Incompatible materialsNone known based on information supplied.

Hazardous decomposition products

Hazardous decomposition products Chlorine compounds. Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Information on likely routes of exposure

Product InformationNo adverse health effects expected if the chemical is handled in accordance with this

Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the

chemical is mishandled and overexposure occurs are:

Inhalation Inhalation of vapors in high concentration may cause irritation of respiratory system. May

cause allergy or asthma symptoms or breathing difficulties if inhaled.

Eye contact Causes serious eye irritation.

Skin contact Causes skin irritation. May cause sensitization by skin contact. Repeated exposure may

cause skin dryness or cracking.

Ingestion Gastrointestinal discomfort.

Symptoms Asthma-like and/ or skin allergy-like symptoms.

Numerical measures of toxicity - Product Information

No information available

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Alkanes, C14-17, chloro-	= 2000 mg/kg (Rat)	-	-
Diphenylmethane-4,4-diisocyan ate	= 31600 mg/kg (Rat) = 9200 mg/kg (Rat)	-	= 369 mg/m³ (Rat) 4 h

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Causes skin irritation. May cause dermatitis. Classification based on individual ingredients

of the mixture.

Serious eye damage/eye irritation Causes serious eye irritation. Classification based on individual ingredients of the mixture.

Respiratory or skin sensitization May cause sensitization by inhalation and skin contact. Classification based on individual

ingredients of the mixture.

Germ cell mutagenicity No information available.

Carcinogenicity Contains a known or suspected carcinogen. The table below indicates whether each

agency has listed any ingredient as a carcinogen.

Chemical name	Australia
Diphenylmethane-4,4-diisocyanate - 101-68-8	Carc. 2
Diphenylmethanediisocyanate, mixture of 2,4 and 4,4 isomers -	Carc. 2
5873-54-1	
Diphenylmethane diisocyanate homopolymer - 25686-28-6	Carc. 2

Reproductive toxicity May cause harm to breast-fed children.

STOT - single exposure May cause damage to organs.

STOT - repeated exposureMay cause damage to organs through prolonged or repeated exposure.

Aspiration hazard

No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

EcotoxicityVery toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Alkanes, C14-17, chloro-	-	LC50: >500mg/L (48h, Leuciscus idus)	-	-

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

Bioaccumulation No information available.

Chemical name	Partition coefficient
Alkanes, C14-17, chloro-	6

Mobility

Mobility in soil No information available.

Other adverse effects

	Chemical name EU - Endocrine Disrupters Candidate List		EU - Endocrine Disruptors - Evaluated Substances	Endocrine disrupting potential
Alkanes, C14-17, chloro- Group III Chemical		-	-	

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging

Dispose of in accordance with federal, state and local regulations. Contaminated packaging must be treated in accordance with the local environmental regulations concerning

Hazardous Waste Management.

14. TRANSPORT INFORMATION

ADG

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

00000067044 - Tufflon P80 Part A

Revision date: 21-Feb-2023
Revision Number 1

UN number 3082

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CHLORINATED

PARAFFINS (C14-C17))

Hazard class 9
Packing group III
Hazchem code •3Z

IATA

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

UN number 3082

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CHLORINATED

PARAFFINS (C14-C17))

Transport hazard class(es) 9
Packing group III

IMDG

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea: DANGEROUS GOODS.

UN number 3082

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CHLORINATED

PARAFFINS (C14-C17))

Transport hazard class(es) 9
Packing group III

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

<u>Australia</u>

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

See section 8 for national exposure control parameters

Poisons Schedule (SUSMP) 6

Chemical name	National pollutant inventory
Diphenylmethane-4,4-diisocyanate - 101-68-8	10 tonne/yr Threshold category 1

International Inventories

All the constituents of this material are listed on the Australian Inventory of Industrial

Chemicals.

Legend:

AIIC- Australian Inventory of Industrial Chemicals

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

16. OTHER INFORMATION

Reason(s) For Issue: First Issue Primary SDS

Issuing Date: 21-Feb-2023

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

Revision Note:

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

C Carcinogen

Key literature references and sources for data used to compile the SDS

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian Industrial Chemicals Introduction Scheme (AICIS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

RTECS (Registry of Toxic Effects of Chemical Substances)

World Health Organization

Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Liquimix Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Liquimix representative or Liquimix Pty Ltd at the contact details on page 1.

Liquimix Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is

000000067044 -	Tufflon P80 Part A

available upon request.

End of Safety Data Sheet