

# SAFETY DATA SHEET



Revision date: 25-Oct-2023

Revision Number 1

## 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

### Product identifier

**Product Name** Tufflon JF90 Part B

**Product Code(s)** 000000067078

### Other means of identification

**UN number** 2735

### Recommended use of the chemical and restrictions on use

**Recommended use** Component of a polyurethane system.

**Uses advised against** No information available

### Supplier

Liquimix Pty Ltd  
ABN: 32 062 887 585  
Street Address: 24 Rosa Place  
Richlands QLD 4077  
Australia

Telephone Number: +61 7 3277 6655

### Emergency telephone number

Emergency telephone number **1 800 033 111 (ALL HOURS)**

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

## 2. HAZARDS IDENTIFICATION

### GHS Classification

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

<b>Acute toxicity - Oral</b>	Category 4
<b>Skin corrosion/irritation</b>	Category 1
<b>Serious eye damage/eye irritation</b>	Category 1
<b>Skin sensitization</b>	Category 1
<b>Acute aquatic toxicity</b>	Category 1
<b>Chronic aquatic toxicity</b>	Category 1

### **SIGNAL WORD**

Danger

**Label elements**

Corrosion  
Exclamation mark  
Environment

**Hazard statements**

H302 - Harmful if swallowed  
H314 - Causes severe skin burns and eye damage  
H317 - May cause an allergic skin reaction  
H410 - Very toxic to aquatic life with long lasting effects

**Precautionary Statements - Prevention**

Avoid breathing dust / fume / gas / mist / vapours / spray  
Wear eye protection/ face protection  
Wash face, hands and any exposed skin thoroughly after handling  
Do not eat, drink or smoke when using this product  
Avoid release to the environment

**Precautionary Statements - Response**

IF exposed: Get medical advice/attention if you feel unwell  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician  
IF ON SKIN: Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Get immediate medical advice/attention. Wash contaminated clothing before reuse  
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor  
IF SWALLOWED: Rinse mouth. DO NOT induce vomiting  
IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell  
Collect spillage

**Precautionary Statements - Storage**

Store locked up

**Precautionary Statements - Disposal**

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

**Other hazards which do not result in classification**

Poisons Schedule (SUSMP) 5

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical name	CAS No.	Weight-%
Polyoxypropylenediamine	9046-10-0	30 - 60%
4,4'-methylenebis[N-sec-butylaniline]	5285-60-9	10 - 30%
Glyceryl poly(oxypropylene)triamine	64852-22-8	10 - 30%
6-methyl-2,4-bis(methylthio)phenylene-1,3-diamine	106264-79-3	< 10%
3,5-Diethyl-2,4-diaminotoluene	2095-02-5	< 10%

**4. FIRST AID MEASURES****Description of first aid measures****General advice**

For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor.

<b>Inhalation</b>	Remove to fresh air and keep at rest in a position comfortable for breathing. Medical aid is necessary if symptoms appear to be an obvious consequence of inhalation.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Seek immediate medical attention/advice.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water. Immediate medical attention is required. Take off contaminated clothing and wash before reuse. Allergic symptoms may be delayed.
<b>Ingestion</b>	Rinse mouth thoroughly with water. Drink 1 or 2 glasses of water. Get medical attention.

**Most important symptoms and effects, both acute and delayed**

**Symptoms** Irritation/Corrosion. May cause allergic skin reaction.

**Indication of any immediate medical attention and special treatment needed**

**Note to physicians** Treat symptomatically.

**5. FIRE FIGHTING MEASURES****Suitable Extinguishing Media**

**Suitable Extinguishing Media** Dry chemical, CO2, alcohol-resistant foam or water spray.

**Unsuitable extinguishing media** High volume water jet.

**Specific hazards arising from the chemical**

**Specific hazards arising from the chemical** Environmentally hazardous.

**Hazardous combustion products** Carbon oxides. Nitrogen oxides.

**Special protective actions for fire-fighters**

**Special protective equipment for fire-fighters** Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

**Hazchem code** 2X

**6. ACCIDENTAL RELEASE MEASURES****Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Ensure adequate ventilation. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes, and clothing.

**Other information** Refer to protective measures listed in Sections 7 and 8.

**For emergency responders** Use personal protection recommended in Section 8.

**Environmental precautions**

**Environmental precautions** See Section 12 for additional Ecological Information.

**Methods and material for containment and cleaning up**

<b>Methods for containment</b>	Stop leak if you can do it without risk. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).
<b>Methods for cleaning up</b>	Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Dike far ahead of spill to collect runoff water. Prevent product and washings from entering drains, sewers or surface water due to high toxicity to aquatic organisms.

**7. HANDLING AND STORAGE****Precautions for safe handling**

<b>Advice on safe handling</b>	Use personal protection equipment. Avoid breathing vapors or mists. Avoid contact with skin, eyes, and clothing. Handle in accordance with good industrial hygiene and safety practice.
<b>General hygiene considerations</b>	Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse. Wash hands and face before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection.

**Conditions for safe storage, including any incompatibilities**

<b>Storage Conditions</b>	Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.
<b>Incompatible materials</b>	None known based on information supplied.
<b>Poisons Schedule (SUSMP)</b>	5

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Control parameters**

<b>Exposure Limits</b>	No value assigned for this specific material by Safe Work Australia.
------------------------	--

**Appropriate engineering controls**

<b>Engineering controls</b>	Apply technical measures to comply with the occupational exposure limits.  If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.
-----------------------------	--

**Individual protection measures, such as personal protective equipment**

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES.

**Eye/face protection**

Wear safety glasses with side shields (or goggles).

**Skin and body protection**

Wear suitable protective clothing. Splash apron or equivalent chemical impervious outer garment.

**Hand protection**

Impervious gloves.

**Respiratory protection**

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required. If determined by a risk assessment an inhalation risk exists, wear an organic vapour respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

**Environmental exposure controls**

Do not allow into any sewer, on the ground or into any body of water. Local authorities should be advised if significant spillages cannot be contained.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

<b>Physical state</b>	Liquid
<b>Appearance</b>	Clear
<b>Color</b>	Creamish White
<b>Odor</b>	No information available
<b>Odor threshold</b>	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
<b>pH</b>	No data available	None known
<b>pH (as aqueous solution)</b>	No data available	None known
<b>Melting point / freezing point</b>	No data available	None known
<b>Boiling point / boiling range</b>	No data available	None known
<b>Flash point</b>	> 150°C	CC (closed cup)
<b>Evaporation rate</b>	No data available	None known
<b>Flammability (solid, gas)</b>	No data available	None known
<b>Flammability Limit in Air</b>		None known
<b>Upper flammability or explosive limits</b>	No data available	
<b>Lower flammability or explosive limits</b>	No data available	
<b>Vapor pressure</b>	No data available	None known
<b>Vapor density</b>	No data available	None known
<b>Relative density</b>	1.01	None known
<b>Water solubility</b>	No data available	None known
<b>Solubility(ies)</b>	No data available	None known
<b>Partition coefficient</b>	No data available	None known
<b>Autoignition temperature</b>	No data available	None known
<b>Decomposition temperature</b>	No data available	None known
<b>Kinematic viscosity</b>	No data available	None known
<b>Dynamic viscosity</b>	350 - 550 mPa s	None known

### Other information

## 10. STABILITY AND REACTIVITY

### Reactivity

**Reactivity** No information available.

### Chemical stability

**Stability** Stable under normal conditions.

### Explosion data

**Sensitivity to mechanical impact** None.

**Sensitivity to static discharge** None.

### Possibility of hazardous reactions

**Possibility of hazardous reactions** None under normal processing.

### Conditions to avoid

**Conditions to avoid** None known based on information supplied.

### Incompatible materials

**Incompatible materials** None known based on information supplied.

### Hazardous decomposition products

**Hazardous decomposition products** Carbon oxides. Nitrogen oxides.

## 11. TOXICOLOGICAL INFORMATION

### Acute toxicity

### Information on likely routes of exposure

**Product Information** No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:

**Inhalation** May cause irritation.

**Eye contact** Causes serious eye irritation. May cause burns.

**Skin contact** Contact causes severe skin irritation and possible burns. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.

**Ingestion** Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

**Symptoms** No information available.

### Numerical measures of toxicity - Product Information

No information available

### Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Polyoxypropylenediamine	= 242 mg/kg ( Rat )	= 360 mg/kg ( Rabbit )	-

See section 16 for terms and abbreviations

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

<b>Skin corrosion/irritation</b>	Causes skin irritation. Causes burns.
<b>Serious eye damage/eye irritation</b>	Causes serious eye irritation. Causes burns.
<b>Respiratory or skin sensitization</b>	May cause an allergic skin reaction.
<b>Germ cell mutagenicity</b>	No information available.
<b>Carcinogenicity</b>	No information available.
<b>Reproductive toxicity</b>	No information available.
<b>STOT - single exposure</b>	No information available.
<b>STOT - repeated exposure</b>	No information available.
<b>Aspiration hazard</b>	No information available.

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

**Ecotoxicity** Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Keep out of waterways.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
6-methyl-2,4-bis(methylthio)phenylene-1,3-diamine	-	LC50: =7.3mg/L (96h, Oncorhynchus mykiss)	-	-

### Persistence and degradability

**Persistence and degradability** Not readily biodegradable.

### Bioaccumulative potential

**Bioaccumulation** Expected to bioaccumulate.

### Mobility

**Mobility in soil** No information available.

### Other adverse effects

## 13. DISPOSAL CONSIDERATIONS

### Waste treatment methods

**Waste from residues/unused products** Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Dispose of contents/containers in accordance with local regulations. Contaminated

packaging must be treated in accordance with the local environmental regulations concerning Hazardous Waste Management.

## 14. TRANSPORT INFORMATION

### ADG

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

<b>UN number</b>	2735
<b>Proper shipping name</b>	AMINES, LIQUID, CORROSIVE, N.O.S. (POLYOXYPROPYLENEDIAMINE)
<b>Hazard class</b>	8
<b>Packing group</b>	II
<b>Hazchem code</b>	2X

### IATA

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

<b>UN number</b>	2735
<b>UN proper shipping name</b>	AMINES, LIQUID, CORROSIVE, N.O.S. (POLYOXYPROPYLENEDIAMINE)
<b>Transport hazard class(es)</b>	8
<b>Packing group</b>	II

### IMDG

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.

<b>UN number</b>	2735
<b>UN proper shipping name</b>	AMINES, LIQUID, CORROSIVE, N.O.S. (POLYOXYPROPYLENEDIAMINE)
<b>Transport hazard class(es)</b>	8
<b>Packing group</b>	II
<b>IMDG EMS Fire</b>	F-A
<b>IMDG EMS Spill</b>	S-B
<b>Marine pollutant</b>	Yes

## 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations

##### Australia

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

See section 8 for national exposure control parameters

<b>Poisons Schedule (SUSMP)</b>	5
---------------------------------	---

#### International Inventories

<b>AIIIC</b>	All the constituents of this material are listed on the Australian Inventory of Industrial
--------------	--



Chemicals.

**Legend:**

**AIIC- Australian Inventory of Industrial Chemicals**

**International Regulations**

**The Montreal Protocol on Substances that Deplete the Ozone Layer** Not applicable

**The Stockholm Convention on Persistent Organic Pollutants** Not applicable

**The Rotterdam Convention** Not applicable

## 16. OTHER INFORMATION

Supplier Safety Data Sheet 07/ 2017

**Reason(s) For Issue:** First Issue Primary SDS

**Issuing Date:** 25-Oct-2023

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

**Revision Note:**

The symbol (\*) in the margin of this SDS indicates that this line has been revised.

**Key or legend to abbreviations and acronyms used in the safety data sheet**

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
C	Carcinogen		

**Key literature references and sources for data used to compile the SDS**

EPA (Environmental Protection Agency)  
 Acute Exposure Guideline Level(s) (AEGl(s))  
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
 U.S. Environmental Protection Agency High Production Volume Chemicals  
 Food Research Journal  
 Hazardous Substance Database  
 International Uniform Chemical Information Database (IUCLID)  
 Japan GHS Classification  
 Australian Industrial Chemicals Introduction Scheme (AICIS)  
 NIOSH (National Institute for Occupational Safety and Health)  
 National Library of Medicine's ChemID Plus (NLM CIP)  
 National Library of Medicine's PubMed database (NLM PUBMED)  
 National Toxicology Program (NTP)  
 New Zealand's Chemical Classification and Information Database (CCID)  
 Organization for Economic Co-operation and Development Environment, Health, and Safety Publications  
 Organization for Economic Co-operation and Development High Production Volume Chemicals Program  
 Organization for Economic Co-operation and Development Screening Information Data Set  
 RTECS (Registry of Toxic Effects of Chemical Substances)  
 World Health Organization

**Disclaimer**

**This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Liquimix Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks**

arising from its use of the material.

If clarification or further information is needed, the user should contact their Liquimix representative or Liquimix Pty Ltd at the contact details on page 1.

Liquimix Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

**End of Safety Data Sheet**